



Ref. Certif. No.

SI-6303

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME**CB TEST CERTIFICATE**

Product

Power supply unit

Name and address of the applicant

EGSTON System Electronics Eggenburg GmbH
Grafenberger Strasse 37, A-3730 Eggenburg, Austria

Name and address of the manufacturer

EGSTON System Electronics Eggenburg GmbH
Grafenberger Strasse 37, A-3730 Eggenburg, Austria

Name and address of the factory

EGSTON System Electronic spol.s.r.o
Průmyslova 20, CZ-670 15 Znojmo, Czech Republic*Note: When more than one factory, please report on page 2* Additional Information on page 2

Ratings and principal characteristics

E2xFMWy 24: Input: 100-240 Vac; 50-60 Hz; 490 mA
E2xFMWy 30: Input: 100-240 Vac; 50-60 Hz; 590 mA
See page 2.

Trademark (if any)

EGSTON

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

E2xFMWy 24, E2xFMWy 30
See page 2.

Additional information (if necessary may also be reported on page 2)

This CB test certificate substitutes previously issued CB test certificate No. SI-5801, dated 2017-08-31, due to update of test report.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60601-1:2005 (3rd Ed.) + A1:2012

As shown in the Test Report Ref. No. which forms part of this Certificate

T223-0525/17

This CB Test Certificate is issued by the National Certification Body

SIQ Ljubljana, Tržaška cesta 2, SI-1000 Ljubljana, Slovenia
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si

SIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the field of certification of products, processes and services.

Date: 2017-11-28

Signature: Bojan Pečavar

Name and address of the factory:

1) EGSTON System Electronic spol.s.r.o
Průmyslova 20, CZ-670 15 Znojmo, Czech Republic

2) EGSTON Electronics Zhuhai Ltd.
3/F, No.3 Pinggong No. 1 Road, Nanping Technology Ind. Park, Zhuhai City, China

Ratings and principal characteristics:**E2xFMWy 24**

Input: 100-240 Vac; 50-60 Hz; 490 mA

Output voltage: 5-24 Vdc

Output current: Max. 3,0 A

Output power: Max. 24 W

E2xFMWy 30

Input: 100-240 Vac; 50-60 Hz; 590 mA

Output voltage: 5-24 Vdc

Output current: Max. 3,0 A

Output power: Max. 30 W

Model / Type ref.:**E2xFMWy 24**

Where "x" can be:

E= Euro Plug-in

U= US, Canada Plug-in

G= United Kingdom Plug-in

C= Changeable Plug

Where "y" can be 1 or 3 to denote output tolerance in %

E2xFMWy 30

Where "x" can be:

E= Euro Plug-in

U= US, Canada Plug-in

G= United Kingdom Plug-in

A= Australia Plug-in

C= Changeable Plug

D= Desktop

S= Cable-cable

P= PCB Module

O= Open Frame Version

T= Terminal Version

Where "y" can be 1 or 3 to denote output tolerance in %

Additional information (if necessary)

Date: 2017-11-28

Signature: Bojan Pečavar

